




REMARKS: "◇" SPECIAL CHARACTERISTIC  
 " + " SAFETY CHARACTERISTIC  
 " ( ) " REFERENCE ONLY

VARITRONIX LTD.		TTL : ±0.2 IF NOT SPECIFY		DD NOT SCALE DRAWING		3 <sup>rd</sup> ANGLE PROJECTION	
DWG. NO. :	VI-422-10	REV	0	Drawn by :	HE	DATE :	2005-01-03
Checked by :		YIN		SIGN :			

DWG.NO.: VI-422-1 (REV.0)




DWG.NO.: VI-422-1 (REV.0)




DIGIT: 1 - 4

DWG. NO.: VI-422-1 (REV.0)

SEGMENT TRACKING




REMARK : N.C. = NO CONNECTION





REMARK : N.C. = NO CONNECTION

THE SAME COMMON SHOULD BE CONNECTED TOGETHER ON PCB.

VARITRONIX LIMITED		OPEN LAYER :	SCALE
<b>POLARIZER LOCATION DIAGRAM</b>		P	Do not scale
DOC. NO. : PL-VI-422-1-01		Drawn by : HE	Date : 2005-01-03
		Checked by : INA	Date : 2005-01-03
		Approval by :	Date : 2005-01-05



VARITRONIX LIMITED		OPEN LAYER :	SCALE
DIL-PIN DETAILS LOCATION DIAGRAM		DP-L0	Do not scale
DOC. NO. : DP-VI-422-1-01	Drawn by : HE	Checked by : INA	Date : 2005-01-03
	Approval by :	Date : 2005-01-05	



REMARKS: PIN LENGTH (L) REFER TO COVER PAGE

① ----- X.XX=2.54 (FOR PIN LENGTH  $\geq$  3.20 &  $\leq$  10.00mm)

X.XX=1.75 (FOR PIN LENGTH  $>$  10.00 &  $\leq$  19.50mm)

DWG.NO.: VI-422-1(REV.0)

PIN	COM	PIN	COM	PIN	COM	PIN	COM
1	COM	11	3C	21	1A	31	3F
2	N.C.	12	DP3	22	1F	32	3G
3	N.C.	13	2E	23	1G	33	N.C.
4	N.C.	14	2D	24	2B	34	4B
5	4E	15	2C	25	2A	35	4A
6	4D	16	DP2	26	2F	36	4F
7	4C	17	1E	27	2G	37	4G
8	DP4	18	1D	28	COL	38	S1
9	3E	19	1C	29	3B	39	N.C.
10	3D	20	1B	30	3A	40	COM

REMARK : N.C. = NO CONNECTION

THE SAME COMMON SHOULD BE CONNECTED TOGETHER ON PCB.